



JPW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

|                                      |   |                              |
|--------------------------------------|---|------------------------------|
| In re Application of                 | ) |                              |
|                                      | ) |                              |
| Lloyd Marks, et al.                  | ) | Art Unit: 3736               |
|                                      | ) |                              |
| Serial No.: 10/673,167               | ) | Examiner: Unassigned         |
|                                      | ) |                              |
| Filed: September 30, 2003            | ) | Atty. Dkt. No.: 117622-00102 |
|                                      | ) |                              |
| For: METHOD OF DIAGNOSIS USING PULSE | ) |                              |
| VOLUME MEASUREMENT                   | ) | Date: September 6, 2005      |


**STATUS INQUIRY**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

It is respectfully requested that Applicants' attorney be advised of the current status of the above-identified application as well as the anticipated date of action by the U.S. Patent and Trademark Office.

Respectfully Submitted,

  
\_\_\_\_\_  
Michael C. Greenbaum  
Reg. No. 28,419

Blank Rome LLP  
Watergate 600, 11<sup>th</sup> Floor  
600 New Hampshire Ave., N.W.  
Washington, D.C. 20037-2485  
Telephone 202-772-5836  
Facsimile 202-572-1436